INDEX TO AUTHORS

A

ARONSON, JOHN F. A melting point for the birefringent component of muscle, 453

AZARNOFF, DANIEL L. See SVOBODA and AZARNOFF, 442

B

BACA, MANUEL. See ZAMBONI, MISHELL, BELL, and BACA, 579

BASERGA, RENATO. See ESTENSEN and BASERGA, 13

BELL, JAMES H. See ZAMBONI, MISHELL, BELL, and BACA, 579

BISCOE, T. J., and STEHBENS, W. E. Ultrastructure of the carotid body, 563

BRADLEY, ALAN S., and WISSIG, STEVEN L. The anatomy of secretion in the follicular cell of the thyroid gland. III. The acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein by the mouse thyroid gland, 433

BRESLOFF, PAUL. See FLAKS and BRESLOFF, 227

BRINKLEY, B. R. See STUBBLEFIELD and BRINKLEY, 645

BUCCIARELLI, EMILIO. Intranuclear cisternae resembling structures of the Golgi complex, 664

'ERS, BRECK. Ribosome crystallization induced in chick embryo tissues by hypothermia, C1

C

CHAPMAN, D., and FLUCK, D. J. Physical studies of phospholipids. III. Electron microscope studies of some pure fully saturated 2, 3-diacyl-DL-phosphatidylethanolamines and phosphatidylcholines, 1

COIMBRA, ANTONIO, and LEBLOND, C. P. Sites of glycogen synthesis in rat liver cells as shown by electron microscope radioautography after administration of glucose-H^3, 151

D

DALLNER, GUSTAV, SIEKEVITZ, PHILIP, and PALADE, GEORGE E. Biogenesis of endoplasmic reticulum membranes. I. Structural and chemical differentiation in developing rat hepatocyte, 73

—, —, and —. II. Synthesis of constitutive microsomal enzymes in developing rat hepatocyte, 97

DANIEL, MARY R., DINGLE, J. T., GLAUERT, AUDREY M., and LUCY, J. A. The action of excess vitamin A alcohol on the fine structure of rat dermal fibroblasts, 465

DE MAN, J. C. H. See NOORDUYN and DE MAN, 655

DEMBITZER, H. M., and HIRSHFIELD, H. I. Some new cytological observations in the heterotrichous ciliate, *Blepharisma*, 201

DINGLE, J. T. See DANIEL, DINGLE, GLAUERT, and LUCY, 465

DOGGENWEILER, CARLOS F. See HEUSER and DOGGENWEILER, 381

E

ESTENSEN, RICHARD D., and BASERGA, RENATO. Puromycin-induced necrosis of crypt cells of the small intestine of mouse, 13

F

FARQUHAR, MARILYN G., and PALADE, GEORGE E. Adenosine triphosphatase localization in amphibian epidermis, 359

FLAKS, BOJAN, and BRESLOFF, PAUL. Some observations on the fine structure of the lutein cells of X-irradiated rat ovary, 227

FLUCK, D. J. See CHAPMAN and FLUCK, 1

G

GAIL, MITCHELL H. See WALLACH, KAMAT, and GAIL, 601

GLAUERT, AUDREY M. See DANIEL, DINGLE, GLAUERT, and LUCY, 465

GREENLEE, THEODORE K., JR., ROSS, RUSSELL, and HARTMAN, JERRY L. The fine structure of elastic fibers, 59

H

HACKENBROCK, CHARLES R. Ultrastructural bases for metabolically linked mechanical activity in mitochondria. I. Reversible ultrastructural changes with change in metabolic steady state in isolated liver mitochondria, 269

HANKER, JACOB S. See SELIGMAN, WASSERKRUG, and HANKER, 424

HARTMAN, JERRY L. See GREENLEE, ROSS, and HARTMAN, 59

HEALY, GEORGE M., and PARKER, RAYMOND C. Cultivation of mammalian cells in defined media with protein and nonprotein supplements, 539

— and —. An improved chemically defined basal medium (CMRL-1415) for newly explanted mouse embryo cells, 531

HEPLER, PETER K., HUFF, CLAY G., and SPRINZ,

HELMUTH. The fine structure of the exoerythrocytic stages of *Plasmodium fallax*, 333
HEUSER, JOHN E., and DOGGENWEILER, CARLOS F. The fine structural organization of nerve fibers, sheaths, and glial cells in the prawn, *Palaemonetes vulgaris*, 381
HICKS, R. M. The function of the Golgi complex in transitional epithelium. Synthesis of the thick cell membrane, 623
HIRSHFIELD, H. I. See DEMBITZER and HIRSHFIELD, 201
HOHMAN, WAYNE, and SCHRAER, HARALD. The intracellular distribution of calcium in the mucosa of the avian shell gland, 317
HOYLE, GRAHAM, MCNEILL, PATRICA ANN, and WALCOTT, BENJAMIN. Nature of invaginating tubules in *Felderstruktur* muscle fibers of the garter snake, 197
HUFF, CLAY G. See HEPLER, HUFF, and SPRINZ, 333

K

KAMAT, VIRENDRA B. See WALLACH and KAMAT, 660
—. See WALLACH, KAMAT, and GAIL, 601
KAYE, GORDON I., WHEELER, HENRY O., WHITLOCK, ROBERT T., and LANE, NATHAN. Fluid transport in the rabbit gallbladder. A combined physiological and electron microscopic study, 237
KISTLER, GONZAGUE S. See WEIBEL, KISTLER, and SCHERLE, 23

L

LANE, NATHAN. See KAYE, WHEELER, WHITLOCK, and LANE, 237
LEBLOND, C. P. See COIMBRA and LEBLOND, 151
—. See NEUTRA and LEBLOND, 119, 137
LIMA-DE-FARIA, A., and MOSES, M. J. Ultrastructure and cytochemistry of metabolic DNA in *Tipula*, 177
LØVTRUP-REIN, H., and MCEWEN, B. S. Isolation and fractionation of rat brain nuclei, 405
LUCY, J. A. See DANIEL, DINGLE, GLAUERT, and LUCY, 465

M

MCEWEN, B. S. See LØVTRUP-REIN and MCEWEN, 405
MCNEILL, PATRICIA ANN. See HOYLE, MCNEILL, and WALCOTT, 197
MILHAUD, MONIQUE, and PAPPAS, GEORGE D. Postsynaptic bodies in the habenula and interpeduncular nuclei of the cat, 437
MISHELL, DANIEL R., JR. See ZAMBONI, MISHELL, BELL, and BACA, 579
MISHIMA, YUTAKA. Melanosomes in phagocytic vacuoles in Langerhans cells. Electron microscopy of keratin-stripped human epidermis, 417
MOSES, M. J. See LIMA-DE-FARIA and MOSES, 177
MULLINS, RANEEN, and WETTE, REIMUT. On the statistical expectation and evaluation of centriole orientations in cell profiles, 652

N

NEUTRA, MARIAN, and LEBLOND, C. P. Radioautographic comparison of uptake of galactose-H^3 and glucose-H^3 in the Golgi region of various cells secreting glycoproteins or mucopolysaccharides, 137
—, and —. Synthesis of the carbohydrate of mucus in the Golgi complex, as shown by electron microscope radioautography of goblet cells from rats injected with glucose-H^3, 119
NOORDUYN, N. J. A., and DE MAN, J. C. H. RNA synthesis in rat and mouse hepatic cells as studied with light and electron microscope radioautography, 655

P

PALADE, GEORGE E. See DALLNER, SIEKEVITZ, and PALADE, 73, 97
—. See FARQUHAR and PALADE, 359
—. See SIEKEVITZ and PALADE, 519
PAPPAS, GEORGE D. See MILHAUD and PAPPAS, 437
PARKER, RAYMOND C. See HEALY and PARKER, 531, 539
PFUDERER, PETER, and SWARTZENDRUBER, D. C. The configuration of isolated polysomes, 193
PHILLIPS, DAVID M. Fine structure of *Sciara coprophila* sperm, 499
—. Observations on spermiogenesis in the fungus gnat *Sciara coprophila*, 477

R

REISS, OSCAR K. Studies of lung metabolism. I. Isolation and properties of subcellular fractions from rabbit lung, 45
ROSS, RUSSELL. See GREENLEE, ROSS, and HARTMAN, 59

S

SCHERLE, WALTER F. See WEIBEL, KISTLER, and SCHERLE, 23
SCHRAER, HARALD. See HOHMAN and SCHRAER, 317
SELIGMAN, ARNOLD M., WASSERKRUG, HANNAH L., and HANKER, JACOB S. A new staining method (OTO) for enhancing contrast of lipid-containing membranes and droplets in osmium tetroxide-fixed tissue with osmiophilic thiocarbohydrazide (TCH), 424
SIEKEVITZ, PHILIP, and PALADE, GEORGE E. Distribution of newly synthesized amylase in microsomal subfractions of guinea pig pancreas, 519
—. See DALLNER, SIEKEVITZ, and PALADE, 73, 97
SPICER, SAMUEL S. See WETZEL, WETZEL, and SPICER, 299
SPRINZ, HELMUTH. See HEPLER, HUFF, and SPRINZ, 333
STEHBENS, W. E. See BISCOE and STEHBENS, 563
STUBBLEFIELD, ELTON, and BRINKLEY, B. R. Cilia formation in Chinese hamster fibroblasts in vitro as a response to Colcemid treatment, 645

SUGANUMA, ATSUSHI. Further studies on the plasma membrane of *Staphylococcus aureus*, 208
SVOBODA, DONALD J., and AZARNOFF, DANIEL L. Response of hepatic microbodies to a hypolipidemic agent, ethyl chlorophenoxyisobutyrate (CPIB), 442
SWARTZENDRUBER, D. C. See PFUDERER and SWARTZENDRUBER, 193

V

VIOLA-MAGNI, MARIA PIA. An analysis of DNA loss and synthesis in the rat adrenal medulla nuclei upon cold stimulation, 213

W

WALCOTT, BENJAMIN. See HOYLE, MCNEILL, and WALCOTT, 197
WALLACH, DONALD F. HOELZL, and KAMAT, VIRENDRA B. The contribution of sialic acid to the surface charge of fragments of plasma membrane and endoplasmic reticulum, 660
—, KAMAT, VIRENDRA B., and GAIL, MITCHELL H. Physicochemical differences between fragments of plasma membrane and endoplasmic reticulum, 601
WASSERKRUG, HANNAH L. See SELIGMAN, WASSERKRUG, and HANKER, 424
WEIBEL, EWALD R., KISTLER, GONZAGUE S., and SCHERLE, WALTER F. Practical stereological methods for morphometric cytology, 23
WEISS, LEONARD. Studies on cell deformability. II. Effects of some proteolytic enzymes, 39
WENT, HANS A. An indirect method to assay for mitotic centers in sand dollar (*Dendraster excentricus*) eggs, 555
WETTE, REIMUT. See MULLINS and WETTE, 652
WETZEL, BRUCE K. See WETZEL, WETZEL, and SPICER, 299
WETZEL, MARY G., WETZEL, BRUCE K., and SPICER, SAMUEL S. Ultrastructural localization of acid mucosubstances in the mouse colon with iron-containing stains, 299
WHEELER, HENRY O. See KAYE, WHEELER, WHITLOCK, and LANE, 237
WHITLOCK, ROBERT T. See KAYE, WHEELER, WHITLOCK, and LANE, 237
WISSIG, STEVEN L. See BRADLEY and WISSIG, 433

Z

ZAMBONI, LUCIANO, MISHELL, DANIEL R., JR., BELL, JAMES H., and BACA, MANUEL. Fine structure of the human ovum in the pronuclear stage, 579

INDEX TO SUBJECTS

A

Acid mucosubstances, ultrastructural localization of in mouse colon by means of iron-containing stains, EM cytochemical study, 299

Adenosine triphosphatase, localization of in epidermis of amphibia (frog and toad), implications in active transport of cations across skin, light and EM cytochemical study, 359

Adrenal medulla, of rat, analysis of DNA loss and synthesis in nuclei of upon cold stimulation of animals, radioautographic and histophotometric study, 212

Amphibia (frog and toad), adenosine triphosphatase localization in epidermis of, implications in active transport of cations across skin of, light and EM cytochemical study, 359

Amylase, newly synthesized, distribution of in microsomal subfractions of guinea pig pancreas, biochemical and EM study, 519

A region, of striated muscle, invertebrate and vertebrate, melting point for birefringent component, analysis of changes accompanying heating and their use in studying structure of, by phase contrast and polarized light microscopy, 453

Axial filament complex, unusual, in spermatids, of gnat *Sciara*, odd tubule pattern in spermatocyte centriole, fine structure in spermiogenesis, EM study, 477

B

Bacterium, *Staphylococcus aureus*, demonstration of unit structure of plasma membrane after prolonged fixation, EM study, 208

Benzimidazole, use of in indirect method to assay for mitotic centers, in sand dollar eggs, light microscope study, 453

Bovine and rat, ligament and tendon, fine structure of developing elastic fibers, morphological criteria for identification of mature and immature fibers in sections, EM study, 59

Brain, of cat, postsynaptic bodies in habenula and interpeduncular nuclei of, EM study, 437

—, of rat, isolation and fractionation of nuclei of, procedure for obtaining separate nuclear fractions from neurons and astrocytes and other glial cell types, biochemical and light microscope study, 405

C

Calcium, intracellular distribution of in mucosa of chicken shell gland, analysis of subcellular fractions, biochemical and EM study, 317

Carbohydrate (glycoproteins or mucopolysaccharides) synthesis in secretory cells, of rat, radioautographic comparison of uptakes of galactose-H^3 and glucose-H^3 in Golgi region of, EM study, 137

—, of mucus, synthesis of in Golgi complex of rat colonic goblet cells after administration of glucose-H^3, as shown by EM radioautography, 119

Carotid body, of cat and rabbit, fine structure of with special reference to nerve endings in, EM study, 563

Cat, brain, postsynaptic bodies in habenula and interpeduncular nuclei of, EM study, 437

— and rabbit, carotid body, fine structure of with special reference to nerve endings in, EM study, 563

Cell culture, cultivation of mammalian cells in defined media with protein and nonprotein supplements, 539

— culture, improved chemically defined basal medium (CMRL-1415) for newly explanted mouse embryo cells, 531

— deformability and electrophoretic mobility, effects of proteolytic enzymes (trypsin and chymotrypsin) on, in Sarcoma 37 ascites cells, 39

— profiles, centriole orientations in, statistical expectation and evaluation of, 652

Cells secreting glycoproteins or mucopolysaccharides, of rat, radioautographic comparison of uptakes of galactose-H^3 and glucose-H^3 in Golgi region of, EM study, 137

Centriole and axial filament complex, in spermatids of gnat *Sciara*, fine structure in spermiogenesis, EM study, 477

— orientations in cell profiles, statistical expectation and evaluation of, 652

Chick, embryo tissues, ribosome crystallization induced in by hypothermia, EM study, C1

Chicken sarcoma, intranuclear cisternae resembling structures of Golgi complex in neoplastic cell, EM study, 664

—, shell gland, intracellular distribution of calcium in mucosa of, analysis of subcellular fractions, biochemical and EM study, 317

Cila formation, in Chinese hamster fibroblasts in vitro, as response to Colcemid treatment, EM study, 645

Cisternae, intranuclear, resembling structures of Golgi complex in neoplastic cell of chicken sarcoma, EM study, 664

Colcemid treatment, induction of cilia formation by, in Chinese hamster fibroblasts in vitro, EM study, 645

Connective tissue, ligament and tendon, of rat and bovine, fine structure of developing elastic fibers in, morphological criteria for identification of mature and immature fibers in sections, EM study, 59
Crypt cells, in mouse small intestine, puromycin-induced necrosis of, effects of antibiotic on actively dividing cells, biochemical study, 13
Crystallization of ribosomes, induced by hypothermia, in chick embryo tissues, EM study, C1
Cytochemistry, electron microscopic, new staining method (OTO) for enhancing density of lipid-containing membranes and droplets in OsO_4-fixed tissue with osmiophilic thiocarbohydrazide (TCH), EM cytochemical study, 424

D

DNA loss and synthesis, analysis of in nuclei of adrenal medulla of rats exposed to cold, radioautographic and histophotometric study, 212
—, metabolic, ultrastructure and cytochemistry of DNA body, in oocytes and nurse cells in larvae of fly *Tipula oleracea*, 177

E

Eggs, of sand dollar *Dendraster excentricus*, indirect method to assay for mitotic centers in, use of benzimidazole, light microscope study, 555
Elastic fibers, developing, in ligament and tendon, of rat and bovine, fine structure of, morphological criteria for identification of mature and immature fibers in sections, EM study, 59
Electron microscopy, new staining method (OTO) for enhancing density of lipid-containing membranes and droplets in OsO_4-fixed tissue with osmiophilic thiocarbohydrazide (TCH), EM cytochemical study, 424
— microscopy, practical application of morphometric methods in, determination of quantitative parameters of tissue structure on sections, 23
Embryo cells, of mouse, cultivation of mammalian cells in defined media with protein and nonprotein supplements, 539
— cells, of mouse, cultured, improved chemically defined basal medium (CMRL-1415) for newly explanted cells, 531
— tissues, of chick, ribosome crystallization induced in by hypothermia, EM study, C1
Endoplasmic reticulum membranes, biogenesis of in developing rat hepatocytes, structural and chemical differentiation, biochemical and EM study, 73
— reticulum membranes, biogenesis of in developing rat hepatocytes, synthesis of constitutive microsomal enzymes, biochemical and EM study, 97
— reticulum and plasma membrane, of Ehrlich ascites tumor cells, contribution of sialic acid to surface charge of fragments of, biochemical study, 660
— reticulum and plasma membrane, of Ehrlich ascites tumor cells, physicochemical differences between fragments of obtained by fractionation, analysis of light-scattering properties of membrane types, biochemical study, 601
Enzymes, proteolytic, trypsin and chymotrypsin, effects of on cell deformability and electrophoretic mobility, in Sarcoma 37 ascites cells, 39
Epidermis, of amphibia (frog and toad), adenosine triphosphatase localization in, implications in active transport of cations across skin, light and EM cytochemical study, 359
—, of human skin, melanosomes in phagocytic vacuoles in Langerhans cells of, EM study, 417
Epithelium, of gallbladder mucosa, of rabbit, fluid transport in, correlations between functional state and structural alterations in, physiological and EM study, 237
—, of shell gland mucosa, of chicken, intracellular distribution of calcium in, studied by analysis of subcellular fractions, biochemical and EM study, 317
—, transitional, of bladder and ureter, of rat, function of Golgi complex in, synthesis of thick cell membrane, EM cytochemical study, 623

F

Fiber, striated muscle, invertebrate and vertebrate, melting point for birefringent component, analysis of changes accompanying heating and their use in studying structure of A region, by phase contrast and polarized light microscopy, 453
Fibers, elastic, developing, in ligament and tendon, of rat and bovine, fine structure of, morphological criteria for identification of mature and immature fibers in sections, EM study, 59
—, muscle, slow, of garter snake *Thamnophis sirtalis*, nature of invaginating tubules (T system) in, EM study, 197
Fibroblasts, dermal, of rat, cultured as monolayers, action of excess vitamin A alcohol (retinol) on fine structure of, EM study, 465
—, in vitro, of Chinese hamster, cilia formation in, as response to Colcemid treatment, EM study, 645
Filament (A), of striated muscle fibers, invertebrate and vertebrate, melting point for birefringement component, analysis of changes accompanying heating and their use in studying structure of A region, by phase contrast and polarized light microscopy, 453
Flagellum, unusual structure of in spermatozoa of gnat *Sciara*, fine structure of sperm, EM study, 499
Fractionation method for isolating rat brain nuclei, procedure for obtaining separate nuclear fractions from neurons and astrocytes and other glial cell types, biochemical and light microscope study, 405
Fractions, subcellular, mitochondrial and microsomal, from rabbit lung, isolation and properties of, enzymatic and chemical and morphological features of, biochemical and EM study, 45

G

Gallbladder, of rabbit, fluid transport in, correla-

tions between functional state and structural alterations in mucosal epithelium, physiological and EM study, 237
Glial cells and nerve fibers and sheaths, in prawn *Palaemonetes vulgaris*, fine structural organization of, EM study, 381
Glycogen synthesis, sites of, in rat liver cells after administration of glucose-H^3, as shown by EM radioautography, 151
Goblet cell, of rat colon, synthesis of mucus carbohydrate in Golgi complex after administration of glucose-H^3, as shown by EM radioautography, 119
Golgi complex, function of, in transitional epithelium of bladder and ureter, of rat, synthesis of thick cell membrane, EM cytochemical study, 623
— complex, intranuclear cisternae resembling structures of in neoplastic cell of chicken sarcoma, EM study, 664
— complex, of rat colonic goblet cells, synthesis of mucus carbohydrate in after administration of glucose-H^3, as shown by EM radioautography, 119
— region, of cells secreting glycoproteins or mucopolysaccharides, of rat, radioautographic comparison of uptakes of galactose-H^3 and glucose-H^3 in Golgi region of, EM study, 137
Guinea pig, pancreas, distribution of newly synthesized amylase in microsomal subfractions of, biochemical and EM study, 519

H

Habenula and interpenduncular nuclei, of cat brain, postsynaptic bodies in, EM study, 437
Hamster (Chinese), cilia formation in fibroblasts *in vitro*, as response to Colcemid treatment, EM study, 645
Hepatic cells, of rat and mouse, RNA synthesis in, effect of hydrocortisone, studied by light and EM radioautography, 655
Hepatocytes, developing, of rat, biogenesis of endoplasmic reticulum membranes, structural and chemical differentiation, biochemical and EM study, 73
—, developing, of rat, biogenesis of endoplasmic reticulum membranes, synthesis of constitutive microsomal enzymes, biochemical and EM study, 97
—, of rat liver, response of microbodies to hypolipidemic agent chlorophenoxyisobutyrate (CPIB), EM and biochemical study, 442
Human, fertilized ovum of, fine structure of in pronuclear stage, EM study, 579
—, skin, melanosomes in phagocytic vacuoles in Langerhans cells in epidermis of, EM study, 417
Hydrocortisone, effect of on RNA synthesis, in rat and mouse hepatic cells, studied by light and EM radioautography, 655
Hypothermia, induction of ribosome crystallization by, in chick embryo tissues, EM study, C1

I

Insect, gnat *Sciara coprophila*, fine structure of spermatozoa, with reference to unusual structure of flagellum, EM study, 499
Insect, gnat *Sciara coprophila*, spermiogenesis in, with special reference to development of unusual axial filament complex in spermatids and of odd tubule pattern in spermatocyte centriole, EM study, 477
—, larvae of *Tipula oleracea*, ultrastructure and cytochemistry of metabolic DNA (DNA body) in oocytes and nurse cells of, 177
Interpeduncular nuclei and habenula, of cat brain, postsynaptic bodies in, EM study, 437
Intestine, colon, of mouse, ultrastructural localization of acid mucosubstances in by means of iron-containing stains, EM cytochemical study, 299
—, of rat, synthesis of mucus carbohydrate in Golgi complex of colonic goblet cells after administration of glucose-H^3, as shown by EM radioautography, 119
—, small, of mouse, puromycin-induced necrosis of crypt cells of, effects of antibiotic on actively dividing cells, biochemical study, 13
Iron-containing stains, ultrastructural localization of acid mucosubstances in mouse colon by means of, EM cytochemical study, 299

L

Lipid metabolism, response of hepatic microbodies to hypolipidemic agent ethyl chlorophenoxyisobutyrate (CPIB), EM and biochemical study, 442
— structure, physical studies of phospholipids, EM investigation of some pure fully saturated 2,3-diacylphosphatidylethanolamines and phosphatidylcholines, 1
Lipid-containing membranes and droplets, new staining method (OTO) for enhancing density of, with osmiophilic thiocarbohydrazide (TCH) in OsO_4-fixed tissue, EM cytochemical study, 424
Liver cells, of rat, sites of glycogen synthesis after administration of glucose-H^3, as shown by EM radioautography, 151
—, of mouse, reversible structural changes with change in metabolic steady state in isolated mitochondria of, ultrastructural bases for metabolically linked mechanical activity, EM study, 269
—, of rat, configuration of isolated polysomes of, EM study, 193
—, of rat, response of hepatic microbodies to hypolipidemic agent ethyl chlorophenoxyisobutyrate (CPIB), EM and biochemical study, 442
Lung, of rabbit, isolation and properties of mitochondrial and microsomal fractions from, enzymatic and chemical and morphological features, biochemical and EM study, 45
Lutein cells, fine structure of after X-irradiation of ovary, of rat, morphological changes concurrent with vaginal cornification, EM study, 227

M

Malarial (avian) parasite, *Plasmodium fallax*, fine structure of exoerythrocytic stages of, EM study, 333
Melanosomes, in phagocytic vacuoles in Langerhans cells of epidermis of human skin, EM study, 417

Membrane, cell, synthesis of, function of Golgi complex in transitional epithelium of bladder and ureter, of rat, EM cytochemical study, 623
—, plasma, of *Staphylococcus aureus*, demonstration of unit structure of after prolonged fixation, EM study, 208
— types, analysis of light-scattering properties of, physicochemical differences between fragments of plasma membrane and endoplasmic reticulum obtained by fractionation, of Ehrlich ascites tumor cells, biochemical study, 601
— types, contribution of sialic acid to surface charge of fragments of plasma membrane and endoplasmic reticulum, biochemical study, 660
Membranes and droplets, lipid-containing, new staining method (OTO) for enhancing density of, with osmiophilic thiocarbohydrazide (TCH) in OsO_4-fixed tissue, EM cytochemical study, 424
—, of endoplasmic reticulum, biogenesis of in developing rat hepatocytes, structural and chemical differentiation, biochemical and EM study, 73
—, of endoplasmic reticulum, biogenesis of in developing rat hepatocytes, synthesis of constitutive microsomal enzymes, biochemical and EM study, 97
Microbodies, hepatic, response of to hypolipidemic agent ethyl chlorophenoxyisobutyrate (CPIB), EM and biochemical study, 442
Microsomal subfractions, of guinea pig pancreas, distribution of newly synthesized amylase in, biochemical and EM study, 519
Mitochondria, isolated, of mouse liver, reversible structural changes of with change in metabolic steady state in, ultrastructural bases for metabolically linked mechanical activity, EM study, 269
Mitochondrial fractions, from rabbit lung, isolation and properties of, enzymatic and chemical and morphological features of, biochemical and EM study, 45
Mitotic centers, in sand dollar eggs, indirect method to assay for, use of benzimidazole, light microscope study, 555
Morphometric methods for cytology, determination of quantitative parameters of tissue structure on sections, practical application in electron microscopy, 23
Mouse, colon, ultrastructural localization of acid mucosubstances in by means of iron-containing stains, EM cytochemical study, 299
—, embryo cells, cultivation of mammalian cells in defined media with protein and nonprotein supplements, 539
—, embryo cells, cultured, improved chemically defined basal medium (CMRL-1415) for newly explanted cells, 531
—, liver, reversible structural changes with change in metabolic steady state in isolated mitochondria of, ultrastructural bases for metabolically linked mechanical activity, EM study, 269
—, and rat, hepatic cells, RNA synthesis in, effect of hydrocortisone, studied by light and EM radioautography, 655
—, small intestine, puromycin-induced necrosis of crypt cells of, effects of antibiotic on actively dividing cells, biochemical study, 13
Mouse, thyroid, acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein by, analysis of secretory phenomena in follicular cell, biochemical study, 433
Mucosubstances (acid), ultrastructural localization of in mouse colon by means of iron-containing stains, EM cytochemical study, 299
Murine Sarcoma 37 ascites cells, effects of proteolytic enzymes (trypsin and chymotrypsin) on cell deformability and electrophoretic mobility, 39
Muscle fibers, slow, of garter snake *Thamnophis sirtalis*, nature of invaginating tubules (T system) in, EM study, 197
—, striated, invertebrate and vertebrate, melting point for birefringent component, analysis of changes accompanying heating and their use in studying structure of A region, by phase contrast and polarized light microscopy, 453

N

Necrosis of crypt cells, induced by puromycin, of mouse small intestine, effects of antibiotic on actively dividing cells, biochemical study, 13
Nerve endings, in carotid body, of cat and rabbit, fine structure of body, EM study, 563
— fibers and sheaths and glial cells, in prawn *Palaemonetes vulgaris*, fine structural organization of, EM study, 381
Nuclei, of adrenal medulla of rat, analysis of DNA loss and synthesis upon cold stimulation of animals, radioautographic and histophotometric study, 212
—, of rat brain, isolation and fractionation of, procedure for obtaining separate nuclear fractions from neurons and astrocytes and other glial cell types, biochemical and light microscope study, 405
Nucleus, of neoplastic cell of chicken sarcoma, intranuclear cisternae resembling structures of Golgi complex, EM study, 664
Nurse cells and oocytes, in larvae of the fly *Tipula oleracea*, ultrastructure and cytochemistry of metabolic DNA (DNA body) in, 177

O

Oocytes and nurse cells, in larvae of fly *Tipula oleracea*, ultrastructure and cytochemistry of metabolic DNA (DNA body) in, 177
Ovary, of rat, fine structure of lutein cells following X-irradiation of, morphological changes concurrent with vaginal cornification, EM study, 227
Ovum, fertilized, of human, fine structure of in pronuclear stage, EM study, 579

P

Pancreas, of guinea pig, distribution of newly synthesized amylase in microsomal subfractions of, biochemical and EM study, 519
Phagocytic vacuoles, melanosomes in, in Langerhans cells of epidermis of human skin, EM study, 417

Phospholipids, physical studies of, EM investigation of some pure fully saturated 2,3-diacylphosphatidylethanolamines and phosphatidylcholines, 1
Plasma membrane and endoplasmic reticulum, of Ehrlich ascites tumor cells, contribution of sialic acid to surface charge of fragments of, biochemical study, 660
— membrane and endoplasmic reticulum, of Ehrlich ascites tumor cells, physicochemical differences between fragments of obtained by fractionation, analysis of light-scattering properties of membrane types, biochemical study, 601
— membrane, of *Staphylococcus aureus*, demonstration of unit structure of after prolonged fixation, EM study, 208
— membrane, synthesis of, function of Golgi complex in transitional epithelium of bladder and ureter, of rat, EM cytochemical study, 623
Polysomes, isolated, of rat liver, configuration of, EM study, 193
Postsynaptic bodies in habenula and interpeduncular nuclei, of cat brain, EM study, 437
Prawn, *Palaemonetes vulgaris*, fine structural organization of nerve fibers and sheaths and glial cells in, EM study, 381
Pronuclear stage, of fertilized human ovum, fine structure of, EM study, 579
Protein synthesis, in mouse thyroid, acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein, analysis of secretory phenomena in follicular cell, biochemical study, 433
Proteolytic enzymes, trypsin and chymotrypsin, effects of on cell deformability and electrophoretic mobility, in Sarcoma 37 ascites cells, 39
Protozoan, ciliate *Blepharisma intermedium*, some new cytological observations in, 201
—, *Plasmodium fallax*, fine structure of exoerythrocytic stages of avian malarial parasite, EM study, 333
Puromycin-induced necrosis of crypt cells, of mouse small intestine, effects of antibiotic on actively dividing cells, biochemical study, 13

Q

Quantitative parameters of tissue structure on sections, determination of, morphometric methods for cytology, practical application in electron microscopy, 23

R

Rabbit and cat, carotid body, fine structure of with special reference to nerve endings in, EM study, 563
—, gallbladder, fluid transport in, correlations between functional state and structural alterations in mucosal epithelium, physiological and EM study, 237
—, lung, isolation and properties of mitochondrial and microsomal fractions from, enzymatic and chemical and morphological features, biochemical and EM study, 45
Radioactive label, Ca^{45}, intracellular distribution of calcium in mucosa of chicken shell gland, analysis of subcellular fractions, biochemical and EM study, 317
— label, glucose-H^3, galactose-H^3, radioautographic comparison of uptakes of in Golgi region of various cells secreting glycoproteins or mucopolysaccharides, of rat, EM study, 137
— label, glucose-H^3, sites of glycogen synthesis in rat liver cells after administration of, as shown by EM radioautography, 151
— label, glucose-H^3, synthesis of mucus carbohydrate in Golgi complex of rat colonic goblet cells after administration of, as shown by EM radioautography, 119
— label, leucine-C^{14}, glycerol-C^{14}, distribution of newly synthesized amylase in microsomal subfractions, of guinea pig pancreas, biochemical and EM study, 519
— label, leucine-H^3, acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein by mouse thyroid, analysis of secretory phenomena in follicular cell, biochemical study, 433
— label, phosphate-P^{32}, biogenesis of endoplasmic reticulum membranes, in developing rat hepatocytes, structural and chemical differentiation of, synthesis of constitutive microsomal enzymes, biochemical and EM studies, 73, 97
— label, thymidine-H^3, analysis of DNA loss and synthesis in nuclei of adrenal medulla of rats exposed to cold, radioautographic and histophotometric study, 212
— label, thymidine-H^3, leucine-H^3, uridine-H^3, cytidine-H^3, puromycin-induced necrosis of crypt cells of mouse small intestine, effects of antibiotic on actively dividing cells, biochemical and radioautographic study, 13
— label, uridine-H^3, and orotic acid-H^3, RNA synthesis in rat and mouse hepatic cells, effect of hydrocortisone, studied by light and EM radioautography, 655
Rat, adrenal medulla, analysis of DNA loss and synthesis in nuclei of upon cold stimulation of animals, radioautographic and histophotometric study, 212
— and bovine, ligament and tendon, fine structure of developing elastic fibers, morphological criteria for identification of mature and immature fibers in sections, EM study, 59
—, brain, isolation and fractionation of nuclei of, procedure for obtaining separate nuclear fractions from neurons and astrocytes and other glial cell types, biochemical and light microscope study, 405
—, cells secreting glycoproteins or mucopolysaccharides, radioautographic comparison of the uptakes of galactose-H^3 and glucose-H^3 in Golgi region of, EM study, 137
—, colonic goblet cells, synthesis of mucus carbohydrate in Golgi complex after administration of glucose-H^3, as shown by EM radioautography, 119
—, dermal fibroblasts, cultured as monolayers, action

of excess vitamin A alcohol (retinol) on fine structure of, EM study, 465
Rat, hepatocytes, developing, biogenesis of endoplasmic reticulum membranes, structural and chemical differentiation, biochemical and EM study, 73
Rat, hepatocytes, developing ,biogenesis of endoplasmic reticulum membranes, synthesis of constitutive microsomal enzymes, biochemical and EM study, 97
—, liver cells, sites of glycogen synthesis after administration of glucose-H^3, as shown by EM radioautography, 151
—, liver, configuration of isolated polysomes of, EM study, 193
—, liver, response of hepatic microbodies to hypolipidemic agent ethyl chlorophenoxyisobutyrate (CPIB), EM and biochemical study, 442
— and mouse, hepatic cells, RNA synthesis in, effect of hydrocortisone, studied by light and EM radioautography, 655
—, ovary, fine structure of lutein cells after X-irradiation of, morphological changes concurrent with vaginal cornification, EM study, 227
—, ureter and bladder, function of Golgi complex in transitional epithelium of, synthesis of thick cell membrane, EM cytochemical study, 623
Retinol (vitamin A alcohol), action of excess of on fine structure of rat dermal fibroblasts cultured as monolayers, EM study, 465
Ribosome crystallization, induced by hypothermia, in chick embryo tissues, EM study, C1
RNA synthesis, in rat and mouse hepatic cells, effect of hydrocortisone, studied by light and EM radioautography, 655

S

Sand dollar, *Dendraster excentricus*, indirect method to assay for mitotic centers in eggs of, use of benzimidazole, light microscope study, 555
Sarcoma, chicken, intranuclear cisternae resembling structures of Golgi complex in neoplastic cell, EM study, 664
Sarcoplasmic reticulum and transverse tubular system, in slow muscle fibers, of garter snake *Thamnophis sirtalis*, nature of invaginating tubules, EM study, 197
Secretory phenomena in thyroid follicular cell, acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein by gland, of mouse, biochemical study, 433
Sections, statistical expectation and evaluation of centriole orientations in cell profiles in, 652
Shell gland, of chicken, intracellular distribution of calcium in mucosa of, analysis of subcellular fractions, biochemical and EM study, 317
Sialic acid, contribution of to surface charge of fragments of plasma membrane and endoplasmic reticulum, biochemical study, 660
Skin, amphibian (frog and toad), adenosine triphosphatase localization in epidermis of, implications in active transport of cations across epithelium, light and EM cytochemical study, 359
—, of human, melanosomes in phagocytic vacuoles in Langerhans cells in epidermis of, EM study, 417
Snake (garter), *Thamnophis sirtalis*, slow muscle fibers (*Felderstruktur*), nature of invaginating tubules (T system) in, EM study, 197
Spermatozoa, of gnat *Sciara*, fine structure of, with reference to unusual structure of flagellum, EM study, 499
Spermiogenesis, in gnat *Sciara*, with special reference to development of unusual axial filament complex in spermatids and of odd tubule pattern in spermatocyte centriole, EM study, 477
Staining method (OTO), new procedure for enhancing density of lipid-containing membranes and droplets in OsO_4-fixed tissue with osmiophilic thiocarbohydrazide (TCH), EM cytochemical study, 424
Statistical expectation and evaluation of centriole orientations in cell profiles, 652
Stereological principles in determination of quantitative parameters of tissue structure on sections, practical application in electron microscopy, 23
Striated muscle, invertebrate and vertebrate, melting point for birefringent component, analysis of changes accompanying heating and their use in studying structure of A region, by phase contrast and polarized light microscopy, 453

T

Thyroid, of mouse, acute effect in vivo of thyrotropic hormone on amino acid uptake and incorporation into protein by, analysis of secretory phenomena in follicular cell, biochemical study, 433
Tissue culture, cultivation of mammalian cells in defined media with protein and nonprotein supplements, 539
— culture, improved chemically defined basal medium (CMRL-1415) for newly explanted mouse embryo cells, 531
Transport (active) of cations across amphibian skin, adenosine triphosphatase localization in epidermis of frog and toad, light and EM cytochemical study, 359
—, fluid, in rabbit gallbladder, correlations between functional state and structural alterations in mucosal epithelium, physiological and EM study, 237
—, of calcium, in mucosa of chicken shell gland, intracellular distribution studied by analysis of subcellular fractions, biochemical and EM study, 317
Transverse tubular system and sarcoplasmic reticulum, in slow muscle fibers, of garter snake *Thamnophis sirtalis*, nature of invaginating tubules, EM study, 197
Tumor cells, Ehrlich ascites, contribution of sialic acid to surface charge of fragments of plasma membrane and endoplasmic reticulum obtained by fractionation, biochemical study, 660
— cells, Ehrlich ascites, physicochemical differences between fragments of plasma membrane and endoplasmic reticulum obtained by fractionation,

analysis of light-scattering properties of membrane types, biochemical study, 601
Tumor cells, Sarcoma 37 ascites, effects of proteolytic enzymes (trypsin and chymotrypsin) on cell deformability and electrophoretic mobility, 39

U

Urinary bladder and ureter, of rat, function of Golgi complex in transitional epithelium of, synthesis of thick cell membrane, EM cytochemical study, 623

V

Vitamin A alcohol (retinol), action of excess of on fine structure of rat dermal fibroblasts cultured as monolayers, EM study, 465

X

X-irradiation, of rat ovary, fine structure of lutein cells after, morphological changes concurrent with vaginal cornification, EM study, 227